

Name: \_\_\_\_\_

**Trig Identities Cheat Sheet**

<b>Reciprocal Identities</b>	$sec(x) = \frac{1}{cos(x)}$	$csc(x) = \frac{1}{sin(x)}$
	$cot(x) = \frac{1}{tan(x)}$	$cot(x) = \frac{cos(x)}{sin(x)}$
	$tan(x) = \frac{1}{cot(x)}$	$tan(x) = \frac{sin(x)}{cos(x)}$

<b>Pythagorean Identities</b>	$sin^2(x) + cos^2(x) = 1$
	$1 + cot^2(x) = csc^2(x)$
	$tan^2(x) + 1 = sec^2(x)$

Name: \_\_\_\_\_

**Trig Identities Cheat Sheet**

<b>Reciprocal Identities</b>	$sec(x) = \frac{1}{cos(x)}$	$csc(x) = \frac{1}{sin(x)}$
	$cot(x) = \frac{1}{tan(x)}$	$cot(x) = \frac{cos(x)}{sin(x)}$
	$tan(x) = \frac{1}{cot(x)}$	$tan(x) = \frac{sin(x)}{cos(x)}$

<b>Pythagorean Identities</b>	$sin^2(x) + cos^2(x) = 1$
	$1 + cot^2(x) = csc^2(x)$
	$tan^2(x) + 1 = sec^2(x)$

<b>Double Angle Identities</b>	$\sin(2A) = 2\sin(A)\cos(A)$
	$\cos(2A) = \cos^2(A) - \sin^2(A)$ $\cos(2A) = 1 - 2\sin^2(A)$ $\cos(2A) = 2\cos^2(A) - 1$
	$\tan(2A) = \frac{2\tan(A)}{1-\tan^2(A)}$

<b>Double Angle Identities</b>	$\sin(2A) = 2\sin(A)\cos(A)$
	$\cos(2A) = \cos^2(A) - \sin^2(A)$ $\cos(2A) = 1 - 2\sin^2(A)$ $\cos(2A) = 2\cos^2(A) - 1$
	$\tan(2A) = \frac{2\tan(A)}{1-\tan^2(A)}$